ELSEVIER

Analytica Chimica Acta 396 (1999) 321–323

ANALYTICA CHIMICA ACTA

# Author Index

Alegret, S., see Santandreu, M. 181
Almeida, C.M.R.
— and Vasconcelos, M.T.S.D.
Determination of lead isotope ratios in port wine by inductively coupled plasma mass spectrometry after pre-treatment by UV-irradiation 45
Álvarez, D.G., see Gomis, D.B. 55
Araújo, M.C.U., see Honorato, R.S. 91
Arruda, A.F.
—, Campiglia, A.D., Chauhan, B.P.S. and Boudjouk, P.
New organosilicon polymer for the extraction and luminescence analysis of uranyl in environmental samples 263

Bachelor, M., see Okemgbo, A.A. 105
Baeyens, W.R., see Rao, Y. 273
Bijlsma, S.
— and Smilde, A.K.
Application of curve resolution based methods to kinetic data 231
Bilewicz, R., see Jarzębińska, A. 1
Blank, A.B., see Eksperiandova, L.P. 317
Bond, A.M.
—, Miao, W., Smith, T.D. and Jamis, J.
Voltammetric reduction of mercury(II), silver(I), lead(II) and copper(II) ions adsorbed onto a new form of mesoporous silica 203
Boudjouk, P., see Arruda, A.F. 263
Brainina, K., see Faller, C. 195

Campiglia, A.D., see Arruda, A.F. 263
Carda-Broch, S.
—, Torres-Lapasió, J.R. and García-Alvarez-Coque, M.C.
Evaluation of several global resolution functions for liquid chromatography 61
Chauhan, B.P.S., see Arruda, A.F. 263
Costa Lima, J.L.F., see Honorato, R.S. 91

Degueldre, C.
—, Rocchiccioli, F. and Laube, A.
Accelerated measurement of groundwater redox potentials: method and application 23
Degueldre, C.
—, Rocchiccioli, F. and Laube, A.
Accelerated measurement of groundwater redox potentials: method and application 23
Derendyaev, B.G., see Piottukh-Peletsky, V.N. 99
Dhulster, P., see Ruckebusch, C. 241
Duponchel, L., see Ruckebusch, C. 241

Eksperiandova, L.P.
—, Fokina, I.I., Blank, A.B., Ivkova, T.I. and Soukhomlinov, B.P.
Determination of small quantities of phenol in water 317

Fàbregas, E., see Santandreu, M. 181
Faller, C.
—, Stojko, N.Yu., Henze, G. and Brainina, Kh.Z.
Stripping voltammetric determination of mercury at modified solid electrodes. Determination of mercury traces using PDC/Au(III) modified electrodes 195
Flechsig, G.-U., see Wang, J. 33
Fokina, I.I., see Eksperiandova, L.P. 317
Forster, R.J., see Hogan, C.F. 13

García Mateo, J.V., see Moreno Gálvez, A. 161
García-Alvarez-Coque, M.C., see Carda-Broch, S. 61
Giacomelli, M.C.
—, Largiuni, O. and Piccardi, G.
Spectrophotometric determination of silicate in rain and aerosols by flow analysis 285
Gomis, D.B.
—, González, L.L. and Álvarez, D.G.
Micellar electrokinetic capillary chromatography analysis of water-soluble vitamins 55
González, L.L., see Gomis, D.B. 55
Gründler, P., see Wang, J. 33
Guillochon, D., see Ruckebusch, C. 241
Guo, Z.-X.
— and Shen, H.-X.
A novel method for the determination of protein utilizing 4-azochromotropic acid phenylfluorone–molybdenum(VI) complex 83
Guo, Z.-X.
— and Shen, H.-X.
A novel method for the determination of protein utilizing 4-azochromotropic acid phenylfluorone–molybdenum(VI) complex 83

Hall, E.A.H., see Mustan, N. 171

Heiss, C.
—, Weller, M.G. and Niessner, R.
Dip-and-read test strips for the determination of trinitrotoluene (TNT) in drinking water 309
Henze, G., see Faller, C. 195
Hernández-Córdoba, M., see López-García, I. 279
Hernández-Cassou, S., see Saurina, J. 151
Hill, H.H., see Okemgbo, A.A. 105
Hirodo, H., see Katsu, T. 189
Hisamoto, H.
—, Satoh, S., Satoh, K., Tsubuku, M., Siswanta, D., Shichi, Y., Koike, Y. and Suzuki, K.
Theory and practice of rapid flow-through analysis based on ion-selective optode detection and its application to sodium ion determination 131
Hödrejärv, H.
— and Vaarmann, A.
Pseudo-total analysis for metallic elements in siliceous soil by acid digestion and flame atomic absorption spectrometry 293
Hogan, C.F.
— and Forster, R.J.
Mediated electron transfer for electroanalysis: transport and kinetics in tin films of [Ru $(bpy)_2PVP_{10}$] $(ClO_4)_2$ 13
Honorato, R.S.
—, Araújo, M.C.U., Lima, R.A.C., Zagatto, E.A.G., Lapa, R.A.S. and Costa Lima, J.L.F.
A flow-batch titrator exploiting a one-dimensional optimisation algorithm for end point search 91
Huvenne, J.P., see Ruckebusch, C. 241

Iseghem, P.V., see Moulin, C. 253
Ivkova, T.I., see Eksperiandova, L.P. 317

Jamis, J., see Bond, A.M. 203
Jarzębińska, A.
—, Rowiński, P., Zawisza, I., Bilewicz, R., Siegfried, L. and Kaden, T.
Modified electrode surfaces for catalytic reduction of carbon dioxide 1
Jasinski, M., see Wang, J. 33
Jou, J.-J., see Zen, J.-M. 39

Kaden, T., see Jarzębińska, A. 1
Katsu, T.
— and Hirodo, H.
Determination of histamine release from mast cells using a histamine-sensitive membrane electrode 189
Koike, Y., see Hisamoto, H. 131

López-García, I.
—, Sánchez-Merlos, M. and Hernández-Córdoba, M.
Use of hydrofluoric acid to decrease the background signal caused by sodium chloride in electrothermal atomic absorption spectrometry 279
Lam, M.H.W., see Poon, K.F. 303
Lam, P.K.S., see Poon, K.F. 303
Lapa, R.A.S., see Honorato, R.S. 91

Lapierre, A.V.
—, Olsina, R.A. and Raba, J.
Continuous-flow/stopped-flow system incorporating a rotating bioreactor for the determination of penicillins in pharmaceutical products 143
Largiuni, O., see Giacomelli, M.C. 285
Laszak, I., see Moulin, C. 253
Laube, A., see Degueldre, C. 23
Laube, A., see Degueldre, C. 23
Legrand, P., see Ruckebusch, C. 241
Li, K.A., see Wang, Y.T. 75
Lignot, B., see Ruckebusch, C. 241
Lima, R.A.C., see Honorato, R.S. 91
Liu, C., see Ni, Y. 221
Lu, J., see Wang, J. 33
Luo, G., see Rao, Y. 273

Martínez Calatayud, J., see Moreno Gálvez, A. 161
Matsunaga, A., see Nakazawa, H. 125
Metcalf, S.G., see Okemgbo, A.A. 105
Miao, W., see Bond, A.M. 203
Moreno Gálvez, A.
—, García Mateo, J.V. and Martínez Calatayud, J.
Study of various indicating redox systems on the indirect flow-injection biamperometric determination of pharmaceuticals 161
Moulin, C.
—, Wei, J., Iseghem, P.V., Laszak, I., Plancque, G. and Moulin, V.
Europium complexes investigations in natural waters by time-resolved laser-induced fluorescence 253
Moulin, V., see Moulin, C. 253
Mustan, N.
— and Hall, E.A.H.
Examination of an immunoglobulin modified methacrylate copolymer for amperometric immunoassay 171

Nakano, K., see Yokoyama, T. 117
Nakazawa, H.
—, Yamada, T., Watanabe, T., Yamamoto, A., Matsunaga, A. and Nishimura, M.
Measurement of enantiomeric purity by ratio chromatograms with a photometric detector using quartz plates as a multiple retarder 125
Nedjar-Arroume, N., see Ruckebusch, C. 241
Ni, Y.
— and Liu, C.
Artificial neural networks and multivariate calibration for spectrophotometric differential kinetic determinations of food antioxidants 221
Niessner, R., see Heiss, C. 309
Nishimura, M., see Nakazawa, H. 125

Okemgbo, A.A.
—, Hill, H.H., Metcalf, S.G. and Bachelor, M.
Metal ion interferences in reverse polarity capillary zone electrophoretic analysis of Hanford Defense Waste for ethylenediaminetetraacetic acid (EDTA) and *n*-hydroxyethylethylenediaminetriacetic acid (HEDTA) 105

Olsina, R.A., see Lapierre, A.V. 143

Piccardi, G., see Giacomelli, M.C. 285
Piottukh-Peletsky, V.N.
— and Derendyaev, B.G.
Which IR search system is better for selection of unknown structure analogues? 99
Piottukh-Peletsky, V.N.
— and Derendyaev, B.G.
Which IR search system is better for selection of unknown structure analogues? 99
Plancque, G., see Moulin, C. 253
Poon, K.-F.
—, Lam, P.K.S. and Lam, M.H.W.
Determination of polynuclear aromatic hydrocarbons in human blood serum by proteolytic digestion — direct immersion SPME 303

Raba, J., see Lapierre, A.V. 143
Rao, Y.
—, Zhang, X., Luo, G. and Baeyens, W.R.
Chemiluminescence flow-injection determination of furosemide based on a rhodamine 6G sensitized cerium(IV) method 273
Rocchiccioli, F., see Degueldre, C. 23
Rowiński, P., see Jarzębińska, A. 1
Ruckebusch, C.
—, Duponchel, L., Huvenne, J.-P., Legrand, P., Nedjar-Arroume, N., Lignot, B., Dhulster, P. and Guillochon, D.
Hydrolysis of hemoglobin surveyed by infrared spectroscopy II. Progress predicted by chemometrics 241

Sánchez-Merlos, M., see López-García, I. 279
Safavi, A.
— and Shams, E.
Selective determination of ultra trace concentrations of molybdenum by catalytic adsorptive stripping voltammetry 215
Santandreu, M.
—, Alegret, S. and Fàbregas, E.
Determination of $\beta$-HCG using amperometric immunosensors based on a conducting immunocomposite 181
Satoh, K., see Hisamoto, H. 131
Satoh, S., see Hisamoto, H. 131
Saurina, J.
— and Hernández-Cassou, S.
Flow-injection and stopped-flow completely continuous flow spectrophotometric determinations of aniline and cyclohexylamine 151
Senthil Kumar, A., see Zen, J.-M. 39
Shams, E., see Safavi, A. 215
Shen, H.-X., see Guo, Z.-X. 83
Shichi, Y., see Hisamoto, H. 131
Siegfried, L., see Jarzębińska, A. 1
Siswanta, D., see Hisamoto, H. 131
Smilde, A.K., see Bijlsma, S. 231
Smith, T.D., see Bond, A.M. 203
Soukhomlinov, B.P., see Eksperiandova, L.P. 317
Stojko, N.Yu., see Faller, C. 195
Suzuki, K., see Hisamoto, H. 131

Tian, B., see Wang, J. 33
Tiresa, M., see Marisa, C. 45
Tong, S.Y., see Wang, Y.T. 75
Torres-Lapasió, J.R., see Carda-Broch, S. 61
Tsubuku, M., see Hisamoto, H. 131

Vaarmann, A., see Hödrejärv, H. 293
Vasconcelos, M.T.S.D., see Almeida, C.M.R. 45

Wang, J.
—, Gründler, P., Flechsig, G.-U., Jasinski, M., Lu, J., Wang, J., Zhao, Z. and Tian, B.
Hot-wire stripping potentiometric measurements of trace mercury 33
Wang, J., see Wang, J. 33
Wang, Y.T.
—, Zhao, F.L., Li, K.A. and Tong, S.Y.
Molecular spectroscopic study of DNA binding with neutral red and application to assay of nucleic acids 75
Watanabe, T., see Nakazawa, H. 125
Wei, J., see Moulin, C. 253
Weller, M.G., see Heiss, C. 309

Yamada, T., see Nakazawa, H. 125
Yamamoto, A., see Nakazawa, H. 125
Yokoyama, T.
—, Nakano, K. and Zenki, M.
Specific separation of nickel ion with bathophenanthroline disulfonic acid by capillary zone electrophoresis 117

Zagatto, E.A.G., see Honorato, R.S. 91
Zawisza, I., see Jarzębińska, A. 1
Zen, J.-M.
—, Jou, J.-J. and Senthil Kumar, A.
A sensitive voltammetric method for the determination of parathion insecticide 39
Zenki, M., see Yokoyama, T. 117
Zhang, X., see Rao, Y. 273
Zhao, F.L., see Wang, Y.T. 75
Zhao, Z., see Wang, J. 33